

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | %TA titratable acidity | pH | Brix % solids = % | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note |
|--|------------------|--------------|---------------|----------------|-------|-----------|------------------|--------------|--------------------|------------------|------------------------|------|-------------------|----------|-------------|-------------------|--|
| | | | | Width cm | Trunk | | | | | of 10 berries gm | | | | | | | |
| Apples - <i>Malus domestica</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | apx. | pounds | | | | | | | <i>Few bird pecks in late apples.</i> |
| Haralred | 2 | 2006 | -- | 148 | 5.0 | Y | 10/6 | 12,896 | 28 | -- | -- | -- | -- | -- | -- | -- | 21 lb 'bad'. Some water core |
| Haralred | 2 | 2008 | -- | 128 | 5.0 | Y | 10/13 | 12,896 | 28 | -- | -- | -- | -- | -- | -- | -- | Some water core |
| Hazen | 3 | 2006 | -- | 156 | 4.5 | Y | 9/7 | 21,943 | 48 | -- | -- | -- | -- | -- | -- | -- | 149.4 lb 'bad' (falls, bird peck, etc) |
| Sweet Sixteen | 4 | 2006 | -- | 183 | 5.0 | V poor | 10/9 | few | 8-10 | -- | -- | -- | -- | -- | -- | -- | Apx 25-30 apples total |
| Honey Crisp | 4 | 2006 | -- | 167 | 4.0 | Y | 10/11 | 24,562 | 54 | -- | -- | -- | -- | 3 | -- | -- | 76.1 lb 'bad' (falls, bird peck, etc) |
| Zestar | 4 | 2007 | -- | 138 | 5.0 | Y | 9/6 | 28,670 | 63 | -- | -- | -- | -- | 1 | -- | -- | 134.6 lb 'bad' (falls, bird peck, etc) |
| Plums - Native x <i>P. salicina</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | apx. | pounds | | | | | | | |
| Prairie Red Hyb. | 2 | 2010 | -- | <i>Did</i> | 4.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Some fruit |
| Pembina | 3 | 2006 | -- | <i>not</i> | 4.5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Some fruit |
| Pipestone | 5 | 2006 | -- | <i>Measure</i> | 4.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Some fruit |
| Toka | 1 | 2006 | -- | " | 4.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit. 1 tree died |
| Waneta | 5 | 2006 | -- | " | 4.5 | Y | 8/22-27 | 92,435 | 204 | -- | -- | -- | -- | -- | -- | -- | Huge crop. +124 lb fell |
| Pears - <i>Pyrus communis</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | apx. | pounds | | | | | | | <i>Wasp damage forced picking</i> |
| Ely | 2 | 2015 | -- | 86 | 4.5 | No | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | No crop |
| Nova | 2 | 2015 | -- | 133 | 5.0 | Y | 9/15-19 | 13952 | 30.7 | -- | -- | -- | -- | -- | -- | -- | Good; small crop |
| Patten | 2 | 2015 | -- | 109 | 5.0 | Y | 9/19-26 | 5630 | 12.4 | -- | -- | -- | -- | -- | -- | -- | Good; small crop |
| Schroeder Hardy ND | 2 | 2015 | -- | 90 | 4.0 | Y | 9/6 | 29094 | 64.1 | -- | -- | -- | -- | -- | -- | -- | Poor Fruit. Removed 2023 |
| Stacey | 2 | 2015 | -- | 149 | 5.0 | Y+ | 8/19 | 32960 | 72.6 | -- | -- | -- | -- | -- | -- | -- | Also thinned 2-3 buckets |
| Aronia - <i>Aronia mitschurinii</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | %TA | pH | Brix | | | | | <i>All: some berry spoilage</i> |
| Galicjanka | 4 | 2013 | 224 | 260 | 4.7 | Y | 8/31 | 14,982 | 9.3 | 1.36 | 3.31 | 17.0 | -- | -- | -- | -- | |
| McKenzie | 4 | 2010 | 232 | 320 | 5.0 | Y | 9/1 | 25,742 | 10.5 | 1.39 | 3.31 | 16.9 | -- | -- | -- | -- | |
| Nero | 4 | 2007 | 234 | <i>Did</i> | 5.0 | Y | 8/29 | 25,242 | 9.4 | 1.44 | 3.23 | 15.6 | -- | -- | -- | -- | Impacted by tree shade |
| Raintree Seedling | 4 | 2007 | 215 | <i>not</i> | 4.0 | Y | 8/29 | 12,122 | 9.4 | 1.53 | 3.22 | 16.3 | -- | -- | -- | -- | Impacted by tree shade |
| Raintree Select | 4 | 2007 | 264 | <i>Measure</i> | 5.0 | Y | 8/30 | 26,786 | 9.0 | 1.40 | 3.26 | 15.6 | -- | -- | -- | -- | |
| Viking | 4 | 2007 | 285 | " " | 5.0 | Y | 8/30 | 13,892 | 9.7 | 1.31 | 3.31 | 16.3 | -- | -- | -- | -- | |
| Dwarf Hardy Cherry - <i>P. cerasus</i> x <i>P. fruticosus</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | %TA | pH | Brix | | | | | |
| Juliet | 5 | 2015 | 284 | 302 | 4.8 | Y | 7/11 | 44,901 | 42.6 | 1.43 | 3.11 | 13.3 | -- | 0 | 0 | 0 | Earliest fruit |
| Romeo | 3 | 2015 | 268 | 340 | 5.0 | Y | 7/27 | -- | -- | -- | -- | -- | -- | 0 | 0 | 0 | Few, late, SWD, birds |
| Plant labeled Romeo | removed | 2015 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 | 0 | 0 | Removed 2023 |
| Red Currants - <i>Ribes rubrum</i> | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | %TA | pH | Brix | | | | | |
| Jhonkheer Van Tets | 4 | 2008 | 146 | 180 | 5.0 | Y | 7/19 | 19,890 | -- | -- | -- | -- | 0 | -- | 0 | 0 | Gave away, no samples. |
| Rosetta | removed | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 | -- | 0 | 0 | Removed 2023 |
| Rovada | removed | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 | -- | 0 | 0 | Removed 2023 |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | %TA | pH | Brix % solids | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | |
|--|------------------|--------------|---------------|------------|------------------|-----------|------------------|--------------|--------------------|---------|---------|------|---------------|---------------|-------------|--|------|--|
| | | | | Width cm | of 10 berries gm | | | | | | | | | | | | | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| Demo | | | | | | | | | | | | | | | | | | |
| Ben Lomand | 4 | 2008 | 127 | 180 | 5 | Y | 7/31 | 7,718 | 7.7 | 4.40 | 2.77 | 15.2 | 1 | -- | 0 | | | |
| Blackcomb | 4 | 2011 | 137 | 182 | 5 | Y | 8/4 | 11,986 | 8.0 | 5.15 | 2.68 | 16.9 | 0 | -- | 0 | | | |
| Champion | 4 | 2008 | 138 | 188 | 5 | Y | 7/30 | 7218.6 | 5.4 | 4.49 | 2.80 | 17.5 | 2 | -- | 0 | Overripe | | |
| Minaj Smyriou | 4 | 2008 | 113 | 195 | 5 | Y | 7/29 | 13,484 | 10.3 | 3.23 | 2.76 | 14.1 | 0 | -- | 0 | Overripe | | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| Demo and Trial 2 | | | | | | | | | | | | | | | | | | |
| Blackcomb | 7 | 2014 | 151 | -- | 5 | Y | 8/4 | 15,164 | 9.8 | 5.05 | 2.67 | 16.0 | 0 | -- | 0 | 2nd year cane borer control | | |
| Cheakamus | 7 | 2014 | 145 | -- | 5 | Y | 7/31 | 22,655 | 10.9 | 4.55 | 2.66 | 14.0 | 0 | -- | 0 | 1st year currant fly control | | |
| Stikine | 7 | 2014 | 169 | -- | 5 | Y | 7/28 | 15,754 | 11.9 | 4.05 | 2.66 | 14.0 | 0 | -- | 0 | Overripe | | |
| Tahsis | 8 | 2014 | 129 | -- | 5 | Y | 7/29 | 16,662 | 12.4 | 3.80 | 2.75 | 15.2 | 0 | -- | 0 | | | |
| Tiben | 8 | 2014 | 180 | -- | 5 | Y | 8/7 | 27,376 | 8.0 | 4.78 | 2.70 | 15.6 | 0 | -- | 0 | | | |
| Nechako 2 ft spacing | removed | 2014 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| Nechako 3 ft spacing | removed | 2014 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| Chilko | 4 | 2014 | -- | -- | 5 | Y | 2.7 | 4068.00 | 9.10 | 4.84 | 2.70 | 16.4 | 0 | -- | 0 | | | |
| M1 | 3 | 2014 | -- | -- | 5 | Y | 7/29 | 4775 | 10.4 | 4.61 | 2.74 | 16.5 | 0 | -- | 0 | | | |
| M19 | 2 | 2014 | -- | -- | 5 | Y | 7/29 | 11,251 | 10.3 | 3.70 | 2.78 | 16.0 | 0 | -- | 0 | | | |
| Juneberry - <i>Amelanchier alnifolia</i> | | | | | | | | | | | %TA | pH | Brix | Disease | | Reduced plant # by 25% | | |
| tallest | | | | | | | | | | | | | | | | | | |
| Honeywood | 15 | 2006 | 246 | -- | 5.0 | Y | 7/4-11 | 63,214 | -- | -- | -- | -- | 0.1 | 0.1 | 0 | Crop harvested by both CREC and volunteers. Weighed. | | |
| JB30 | 15 | 2006 | 305 | -- | 5.0 | Y | 6/28-7/7 | 63,214 | -- | -- | -- | -- | 0.1 | 0.1 | 0 | | | |
| Martin | 15 | 2006 | 330 | -- | 5.0 | Y | 6/28-7/7 | 63,214 | -- | -- | -- | -- | 0.1 | 0.1 | 0 | | | |
| Smoky | 15 | 2006 | 270 | -- | 4.0 | Y | 7/6-11 | 63,214 | -- | -- | -- | -- | 0.1 | 0.1 | 0 | Harvest recorded: 696.2 lbs | | |
| Thiessen | 15 | 2006 | 330 | -- | 5.0 | Y | 6/28-7/7 | 63,214 | -- | -- | -- | -- | 0.1 | 0.1 | 0 | Total est crop: 750 lbs | | |
| Hazelnuts - [(<i>Corylus americana</i> x <i>C. avellana</i>) x Cultivated Oregon <i>Corylus</i> species] | | | | | | | | | | | Disease | | Winter | Few nuts 2023 | | | | |
| 1 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 2 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 3 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | | | |
| 4 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | | | |
| 5 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | | | |
| 6 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 | | | |
| Hazelnuts - (<i>Corylus americana</i> x ?) Riverbend Hazelnuts, Dan Johnson | | | | | | | | | | | Disease | | Winter | Few nuts 2023 | | | | |
| 2N-77 | 1 | 2014 | 300 | 284 | 3.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 3 | Winter injury plant | | |
| 2J-127 | 1 | 2014 | 294 | 284 | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 1 | | | |
| 2J-141 | 1 | 2014 | 294 | 284 | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 1 | | | |
| 2N-25 | 1 | 2014 | 280 | 284 | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 1 | | | |
| W-5 | 1 | 2014 | 250 | 284 | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 1 | | | |
| 2T-111 | 1 | 2014 | 284 | 284 | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | EFB '20 | 3 | | | |
| Hazelbert plant (SLN) | 1 | 2015 | -- | -- | 5.0 | Few | -- | -- | -- | -- | -- | -- | -- | -- | 3 | | | |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | %TA | pH | Brix % solids | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | |
|--|------------------|--------------|------------------|---------------------|---------------------------|--------------|---------------------|--------------|-----------------------|---------|------|-------|------------------|-------------|----------------|-------------------------|---------------------------------|-------------------------------|
| | | | | of 10 berries gm | titratable acidity = % | | | | | | | | | | | | | |
| Edible Blue Honeysuckle [Russian Honeyberry] <i>Lonicera caerulea ssp. edulis</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| Berry Blue | 4 | 2007 | -- | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not net | |
| Blue Belle | 4 | 2007 | -- | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | " " | |
| Kamchatka | 4 | 2007 | -- | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | " " | |
| Blue Sky | 2 | 2020 | 127 | 148 | 5 | Y | 6/25 | 1871.6 | -- | 3.11 | 3.01 | 15.2 | -- | -- | -- | -- | | |
| Edible Blue Honeysuckle [Canadian Haskap] <i>Lonicera caerulea ssp. edulis x ssp kamtshatica</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| Indigo Gem (9-15) | 5 | 2008 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not net | |
| MT 46-55 | 1 | 2009 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Prune to keep east 1/2 of plant | |
| Aurora | 1 | 2014 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not net | |
| Honeybee | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | spreading upright | |
| Aurora | 2 | 2018 | 116 | 138 | 5.0 | Y | 7/5 | 4183.1 | 21.0 | 1.69 | 3.15 | 16.1 | -- | -- | -- | -- | upright and outward shape | |
| Boreal Beast | 1 | 2018 | 110 | 150 | 5.0 | Y | 6/28 | 1745.3 | 18.9 | 2.30 | 2.98 | 15.30 | -- | -- | -- | -- | round shape | |
| Boreal Beauty | 2 | 2018 | 107 | 107 | 4.0 | Y | 7/10 | 1886.4 | 23.1 | 2.35 | 3.02 | 13.6 | -- | -- | -- | -- | open, roundish shape | |
| Boreal Blizzard | 1 | 2018 | 118 | 150 | 5.0 | Y | 6/23 | 2464.3 | 20.2 | 1.71 | 3.18 | 14.00 | -- | -- | -- | -- | round, v thick shape | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | %TA | pH | Brix | | | | | Decreased all 2012 to 1 plant |
| 43-87 | 1 | 2008 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 43-97 | 1 | 2008 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 21-20 | removed | 2012 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023. Uneven ripening | |
| 22-14 | removed | 2012 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023. | |
| 22-26 | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 41-75 | removed | 2012 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023. | |
| 44-19 | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 57-49 | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 88-92 | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 88-102 | 1 | 2012 | 160 | 188 | 5 | Y | 6/26 | 1112.0 | 14.0 | -- | -- | -- | -- | -- | -- | -- | Sample not saved. | |
| 108-23 | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 142-30 | 1 | 2012 | -- | -- | 4.5 | Y | 6/29 | 1031.5 | 13.0 | 2.05 | 2.9 | 11.9 | -- | -- | -- | -- | | |
| 78-89 | 2 | 2015 | 138 | 173 | 5 | Y | 7/3 | 2617.4 | 19.3 | 3.3 | 2.67 | 14.3 | -- | -- | -- | -- | Fruit is very tight, sour | |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt of 10 berries gm | | pH | Brix % solids = % | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | |
|--|------------------|--------------|------------------|-------------|-------|--------------|---------------------|--------------|--------------------------|-----------------------------------|------|------|-------------------------|-------------|----------------|---------------------------------|------|--|
| | | | | Width cm | Vigor | | | | | %TA titratable acidity | %TA | | | | | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | %TA | pH | Brix | | | | |
| 21-17 | 2 | 2017 | 119 | 122 | 4.0 | Y | 7/17 | -- | -- | -- | -- | -- | -- | -- | -- | | | |
| 67-95 | 2 | 2017 | 136 | 156 | 5.0 | Y | 7/14 | 2785.4 | 17.1 | 1.39 | 3.10 | 11.1 | -- | -- | -- | | | |
| 100-22 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 108-42 | 2 | 2017 | 131 | 158 | 5.0 | Y | 7/3 | 2638.1 | 17.8 | 2.31 | 2.84 | 12.2 | -- | -- | -- | | | |
| 110-26 | 2 | 2017 | 144 | 184 | 5.0 | Y | 7/1 | 2862.7 | 17.6 | 2.76 | 2.83 | 13.0 | -- | -- | -- | | | |
| 120-10 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 120-14 | 2 | 2017 | 123 | 171 | 5.0 | Y | 6/21 | 1461.7 | 21.2 | 2.99 | 2.78 | 14.0 | -- | -- | -- | | | |
| 120-16 | 2 | 2017 | 134 | 164 | 5.0 | Y | 7/1 | 2861.6 | 20.5 | 2.05 | 2.85 | 11.0 | -- | -- | -- | | | |
| 122-03 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 122-12 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 122-16 | 1 | 2017 | 124 | 154 | 5.0 | Y | 6/26 | 490.7 | 23.9 | 2.44 | 2.97 | 13.2 | -- | -- | -- | | | |
| 123-05 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 125-04 | 1 | 2017 | 108 | 120 | 5.0 | Y | 6/28 | 561.7 | 18.6 | 2.52 | 2.93 | 14.7 | -- | -- | -- | | | |
| 132-09 | 2 | 2017 | 124 | 171 | 5.0 | Y | 6/21 | 1723.8 | 14.4 | 1.69 | 3.06 | 13.6 | -- | -- | -- | | | |
| 132-10 | 1 | 2017 | 116 | 140 | 5.0 | Y | 6/26 | 1314.9 | 20.5 | 1.27 | 3.16 | 12.7 | -- | -- | -- | | | |
| 132-13 | 1 | 2017 | 122 | 158 | 5.0 | Y | 6/29 | 908.6 | 14.3 | 2.63 | 2.89 | 13.5 | -- | -- | -- | Water in TA, pH sample. Drained | | |
| 132-14 | 2 | 2017 | 133 | 192 | 5.0 | Y | 6/21 | 3582.7 | 17.7 | 1.36 | 3.28 | 14.1 | -- | -- | -- | | | |
| 139-24 | 5 | 2017 | 112 | 174 | 4.9 | Y | 7/6 | 7693.9 | 22.6 | 2.61 | 2.87 | 14.4 | -- | -- | -- | | | |
| 142-31 | 2 | 2017 | 132 | 151 | 5.0 | Y | 7/10 | 1496.8 | 16.1 | 2.00 | 3.02 | 15.2 | -- | -- | -- | | | |
| 144-04 | removed | 2017 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 145-10 | 2 | 2017 | 120 | 122 | 4.5 | Y | 7/3 | 1124.5 | 14.8 | 1.86 | 2.98 | 16.0 | -- | -- | -- | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | %TA | pH | Brix | | | | |
| 111-12 | 2 | 2018 | 139 | 166 | 5.0 | Y | 7/13 | 3563.3 | 13.5 | 2.09 | 2.99 | 13.1 | -- | -- | -- | | | |
| 124-16 | 2 | 2018 | 91 | 177 | 4.5 | Y | 7/13 | 398.7 | 12.9 | 3.02 | 2.83 | 15.2 | -- | -- | -- | | | |
| 124-19 | removed | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 125-13 | removed | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 129-06 | 2 | 2018 | 114 | 210 | 5.0 | Y | 7/1 | 1883.6 | 16.8 | 1.85 | 3.05 | 14.0 | -- | -- | -- | | | |
| 130-09 | 2 | 2018 | 129 | 223 | 5.0 | Y | 7/17 | -- | -- | -- | -- | -- | -- | -- | -- | Late, No sample | | |
| 135-03 | 2 | 2018 | 122 | 181 | 5.0 | Y | 7/7 | 809.5 | 23.5 | 2.19 | 2.95 | 13.6 | -- | -- | -- | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | %TA | pH | Brix | | | | |
| 119-08 | removed | 2019 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 120-15 | removed | 2019 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 122-26 | removed | 2019 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 129-06 | 1 | 2019 | 102 | 175 | 4.5 | Y | 7/1 | 307.4 | 14.3 | 1.86 | 3.02 | 14.7 | -- | -- | -- | | | |
| 132-05 | 2 | 2019 | 114 | 163 | 5.0 | Y | 7/10 | 2680.1 | 22.0 | 2.64 | 2.88 | 16.5 | -- | -- | -- | Nice plant | | |
| 133-07 | 2 | 2019 | 84 | 137 | 5.0 | Y | 7/7 | 1859.9 | 14.6 | 3.22 | 2.77 | 14.7 | -- | -- | -- | | | |
| 133-09 | 2 | 2019 | 107 | 164 | 5.0 | Y | 7/14 | 1468.5 | 15.7 | 2.24 | 2.99 | 14.5 | -- | -- | -- | | | |
| 134-08 | 2 | 2019 | 112 | 147 | 5.0 | Y | 7/14 | 247.2 | 13.2 | 1.35 | 3.20 | 16.2 | -- | -- | -- | | | |
| 135-01 | removed | 2019 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | | |
| 136-17 | 2 | 2019 | 117 | 155 | 5.0 | Y | 7/10 | 1238.8 | 12.8 | 1.71 | 3.11 | 14.4 | -- | -- | -- | | | |
| 138-18 | 1 | 2019 | 104 | 124 | 5.0 | Y | 7/10 | 23.0 | 22.1 | -- | -- | -- | -- | -- | -- | Plant broken down. No sample. | | |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | %TA | pH | Brix | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | |
|--|------------------|--------------|------------------|-------------|-----|--------------|---------------------|--------------|-----------------------|---------------------|------|------|------|-------------|----------------|-------------------------|--------------------------|--|
| | | | | Width cm | | | | | | of 10 berries gm | | | | | | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| 140-14 | 2 | 2019 | 114 | 180 | 5.0 | Y | 7/17 | -- | -- | -- | -- | -- | -- | -- | -- | -- | Late, Birds | |
| 140-16 | removed | 2019 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2023 | |
| 141-04 | 1 | 2019 | 122 | 166 | 5.0 | Y | 7/7 | 453.1 | 14.2 | 2.94 | 2.88 | 16 | -- | -- | -- | | | |
| 141-05 | 2 | 2019 | 110 | 133 | 4.5 | Y | 7/14 | 1276.9 | 10.2 | 2.19 | 2.96 | 14.4 | -- | -- | -- | | | |
| 141-06 | 2 | 2019 | 87 | 121 | 5.0 | Y | 7/17 | -- | -- | -- | -- | -- | -- | -- | -- | -- | Late, Birds | |
| 141-07 | 2 | 2019 | 103 | 134 | 5.0 | Y | 7/7 | 304.2 | 13.6 | 2.74 | 2.88 | 17.7 | -- | -- | -- | | | |
| 144-17 | 2 | 2019 | 113 | 123 | 5.0 | Y | 7/7 | 174.2 | 16.3 | 3.61 | 2.72 | 15.6 | -- | -- | -- | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | %TA | pH | Brix | | | | | |
| 3-08 | 2 | 2021 | 61 | 68 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | round, upward-outward | |
| 15-01 | 2 | 2021 | 66 | 126 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | arching outward | |
| 118-05 | 2 | 2021 | 80 | 63 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 121-16 | 2 | 2021 | 73 | 84 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | wider vase | |
| 121-18 | 2 | 2021 | x | x | 2 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | broken down | |
| 123-15 | 2 | 2021 | 77 | 65 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | outward vase | |
| 125-01 | 2 | 2021 | 110 | 74 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 126-11 | 2 | 2021 | 100 | 90 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | outward vase, full | |
| 126-19 | 2 | 2021 | 96 | 66 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 127-10 | 2 | 2021 | 77 | 76 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upward-outward | |
| 127-20 | 2 | 2021 | 77 | 73 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | round, upward-outward | |
| 127-21 | 2 | 2021 | 87 | 84 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | vase | |
| 129-05 | 1 | 2021 | 88 | 74 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-round | |
| 130-02 | 2 | 2021 | 65 | 49 | 3 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 130-08 | 2 | 2021 | 82 | 78 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | round | |
| 131-07 | 2 | 2021 | 62 | 58 | 3 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | smaller, upright-vase | |
| 131-08 | 2 | 2021 | 50 | 42 | 2 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | smaller, upright-vase | |
| 132-05 | 2 | 2021 | 84 | 64 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 132-07 | 2 | 2021 | 81 | 72 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upright-vase | |
| 133-05 | 2 | 2021 | 98 | 80 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | vigorous, upward-outward | |
| 135-07 | 2 | 2021 | 78 | 72 | 5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | upward-outward | |
| 135-10 | 1 | 2021 | 44 | 44 | 4 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | broken down | |
| 136-10 | 1 | 2021 | x | x | 1 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | broken down | |
| 139-19 | 2 | 2021 | 76 | 83 | 4.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | round, outward | |
| 141-20 | 2 | 2021 | 72 | 63 | 4 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | vase | |